

**INDUCED TERMINATIONS OF PREGNANCY**

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,  
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,  
BY AGE AND RACE OF PATIENT  
PROCEDURES PERFORMED IN MISSISSIPPI, 2007**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,932</u>	<u>632</u>	<u>2,289</u>	<u>11</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>63.1</u>	<u>25.5</u>	<u>105.6</u>
UNDER 15	23	2	21	0	0.8	0.3	0.9	148.4	54.0	178.0
15-19	439	97	339	3	15.0	15.3	14.8	56.3	29.6	74.9
20-24	1,113	247	863	3	38.0	39.1	37.7	71.7	32.8	107.8
25-29	764	142	620	2	26.0	22.5	27.1	60.1	19.3	116.0
30-34	370	78	291	1	12.6	12.3	12.7	54.6	17.9	120.8
35-39	164	42	121	1	5.6	6.6	5.3	56.6	22.7	115.6
40-44	51	21	30	0	1.7	3.3	1.3	92.2	62.1	139.5
45-49	2	2	0	0	0.1	0.3	0.0	55.6	74.1	0.0
UNKNOWN	6	1	4	1	0.2	0.2	0.2			

\* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY  
AND PERCENTAGE DISTRIBUTION.  
BY CHARACTERISTICS OF PATIENT AND RACE  
PROCEDURES PERFORMED IN MISSISSIPPI, 2007**

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>2,932</u>	<u>632</u>	<u>2,289</u>	<u>11</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
MISSISSIPPI RESIDENT	2,870	605	2,254	11	97.9	95.7	98.5
<u>NONRESIDENT</u>	<u>62</u>	<u>27</u>	<u>35</u>	<u>0</u>	<u>2.1</u>	<u>4.3</u>	<u>1.5</u>
BORDER STATE	49	24	25	0	1.7	3.8	1.1
OTHER STATE	13	3	10	0	0.4	0.5	0.4
<u>MARITAL STATUS</u>							
MARRIED	236	80	153	3	8.0	12.6	6.7
NOT MARRIED	2,690	551	2,132	7	91.7	87.2	93.1
UNKNOWN	6	1	4	1	0.2	0.2	0.2
<u>EDUCATION (COMPLETED YEARS)</u>							
0-6 YEARS	5	1	4	0	0.2	0.2	0.2
7-9 YEARS	81	23	57	1	2.8	3.6	2.5
10, 11 YEARS	264	71	192	1	9.0	11.2	8.4
12 YEARS	805	184	619	2	27.4	29.1	27.0
1-3 YEARS COLLEGE	1,256	245	1,007	4	42.8	38.8	44.0
4 OR MORE YEARS COLLEGE	504	103	399	2	17.2	16.3	17.4
UNKNOWN	17	5	11	1	0.6	0.8	0.5
<u>NUMBER OF LIVING CHILDREN</u>							
NONE	959	280	674	5	32.7	44.3	29.4
ONE	1,003	197	803	3	34.2	31.2	35.1
TWO	631	116	515	0	21.5	18.4	22.5
THREE	228	26	200	2	7.8	4.1	8.7
FOUR	74	8	66	0	2.5	1.3	2.9
FIVE OR MORE	35	5	30	0	1.2	0.8	1.3
UNKNOWN	2	0	1	1	0.1	-	*
<u>NUMBER OF PREVIOUS INDUCED TERMINATIONS</u>							
NONE	1,823	429	1,385	9	62.2	67.9	60.5
ONE	766	148	618	0	26.1	23.4	27.0
TWO	251	39	211	1	8.6	6.2	9.2
THREE OR MORE	90	16	74	0	3.1	2.5	3.2
UNKNOWN	2	0	1	1	0.1	-	*

\* LESS THAN 0.06 PERCENT.

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION BY MEDICAL CHARACTERISTICS AND RACE, PROCEDURES PERFORMED IN MISSISSIPPI, 2007**

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,932</u>	<u>632</u>	<u>2,289</u>	<u>11</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	1,610	354	1,249	7	54.9	56.0	54.6
9, 10	573	116	454	3	19.5	18.4	19.8
11, 12	229	37	191	1	7.8	5.8	8.3
13-15	78	27	51	0	2.7	4.3	2.2
16-20	12	6	6	0	0.4	0.9	0.3
21 OR MORE	0	0	0	0	-	-	-
UNKNOWN	430	92	338	0	14.7	14.6	14.8
<u>PRIMARY PROCEDURE</u>							
SUCTION CURETTAGE	2,900	625	2,264	11	98.9	98.9	98.9
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	0	0	0	0	-	-	-
INTRA-UTERINE INSTILLATION	0	0	0	0	-	-	-
SHARP CURETTAGE	3	0	3	0	0.1	-	0.1
HYSTEROTOMY OR HYSTERECTOMY	0	0	0	0	-	-	-
OTHER	0	0	0	0	-	-	-
UNKNOWN	29	7	22	0	1.0	1.1	1.0

\* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

\*\* LESS THAN 0.06 PERCENT.

**TABLE F4. REPORTED COMPLICATIONS RESULTING FROM INDUCED TERMINATIONS OF PREGNANCY PATIENTS TREATED IN MISSISSIPPI, 2007**

DEMOGRAPHIC/MEDICAL CHARACTERISTICS	TOTAL	WHITE	NON-WHITE	UNK. RACE
<u>TOTAL</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>
<u>AGE</u>				
UNDER 20	0	0	0	0
20-29	1	1	0	0
30-39	0	0	0	0
40-49	0	0	0	0
50+	0	0	0	0
UNKNOWN	0	0	0	0
<u>MARITAL STATUS</u>				
MARRIED	1	1	0	0
NOT MARRIED	0	0	0	0
UNKNOWN	0	0	0	0
<u>CONDITION(S) REQUIRING TREATMENT</u>				
PELVIC INFECTION	0	0	0	0
HEMORRHAGE	0	0	0	0
DAMAGE TO PELVIC ORGANS	0	0	0	0
RENAL FAILURE	0	0	0	0
METABOLIC DISORDER	0	0	0	0
SHOCK	0	0	0	0
EMBOLISM	0	0	0	0
COMA	0	0	0	0
DEATH	0	0	0	0
OTHER	1	1	0	0
UNKNOWN	0	0	0	0

NOTE: PATIENTS TREATED MULTIPLE TIMES MAY RESULT IN MULTIPLE REPORTS. THESE REPORTS ARE COUNTED SEPARATELY.  
COMPLICATIONS TABULATED HERE MAY BE THE RESULT OF INDUCED TERMINATIONS THAT OCCURRED OUTSIDE OF THE STATE.

**TABLE 27**  
**REPORTED INDUCED TERMINATIONS OF PREGNANCY**  
**AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,**  
**PROCEDURES PERFORMED IN MISSISSIPPI, 1976-2007**

YEAR	NUMBER				RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7
1993	6,002	2,425	3,551	26	142.4	114.1	170.0
1994	3,979	1,414	2,558	7	94.9	65.6	125.4
1995	3,563	1,288	2,274	1	86.2	59.7	115.1
1996	4,206	1,340	2,859	7	102.6	62.5	146.4
1997	4,325	1,418	2,906	1	104.1	64.4	149.0
1998	3,955	1,215	2,737	3	92.2	52.9	137.1
1999	3,878	1,060	2,810	8	90.9	46.8	140.3
2000	3,758	1,039	2,711	8	85.3	44.1	132.0
2001	3,566	960	2,598	8	84.3	42.1	133.4
2002	3,605	970	2,633	2	85.3	42.5	135.2
2003	3,753	957	2,769	27	88.7	41.4	144.2
2004	3,493	837	2,655	1	81.6	35.6	137.7
2005	3,041	672	2,356	13	71.8	29.2	122.0
2006	2,949	665	2,278	6	64.0	27.5	104.2
2007	2,932	632	2,289	11	63.1	25.5	105.6

\* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.

**TABLE 17**  
**REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI**  
**ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 2007**

COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN	COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>STATE</u>	<u>2,870</u>	<u>605</u>	<u>2,254</u>	<u>11</u>					
ADAMS	52	6	46	0	LINCOLN	31	9	22	0
ALCORN	1	1	0	0	LOWNDES	6	2	4	0
AMITE	3	1	2	0	MADISON	249	59	190	0
ATTALA	20	2	18	0	MARION	26	7	19	0
BENTON	0	0	0	0	MARSHALL	0	0	0	0
BOLIVAR	17	6	11	0	MONROE	0	0	0	0
CALHOUN	2	1	1	0	MONTGOMERY	2	1	1	0
CARROLL	5	0	5	0	NESHOBA	18	9	7	2
CHICKASAW	0	0	0	0	NEWTON	16	5	11	0
CHOCTAW	0	0	0	0	NOXUBEE	4	1	3	0
CLAIBORNE	30	3	27	0	OKTIBBEHA	18	10	7	1
CLARKE	11	3	8	0	PANOLA	5	2	3	0
CLAY	3	1	2	0	PEARL RIVER	6	3	3	0
COAHOMA	0	0	0	0	PERRY	10	2	8	0
COPIAH	66	9	57	0	PIKE	82	11	71	0
COVINGTON	14	6	7	1	PONTOTOC	0	0	0	0
DESOTO	3	2	1	0	PRENTISS	2	2	0	0
FORREST	123	34	88	1	QUITMAN	0	0	0	0
FRANKLIN	13	3	10	0	RANKIN	229	117	110	2
GEORGE	0	0	0	0	SCOTT	34	11	23	0
GREENE	2	0	2	0	SHARKEY	7	0	7	0
GRENADA	2	0	2	0	SIMPSON	28	8	20	0
HANCOCK	4	3	1	0	SMITH	18	9	9	0
HARRISON	24	16	7	1	STONE	5	1	4	0
HINDS	1037	99	935	3	SUNFLOWER	8	1	7	0
HOLMES	56	2	54	0	TALLAHATCHIE	0	0	0	0
HUMPHREYS	16	1	15	0	TATE	0	0	0	0
ISSAQUENA	0	0	0	0	TIPPAH	0	0	0	0
ITAWAMBA	1	1	0	0	TISHOMINGO	0	0	0	0
JACKSON	9	4	5	0	TUNICA	0	0	0	0
JASPER	16	3	13	0	UNION	2	1	1	0
JEFFERSON	26	0	26	0	WALTHALL	17	4	13	0
JEFF DAVIS	10	1	9	0	WARREN	135	24	111	0
JONES	44	17	27	0	WASHINGTON	44	5	39	0
KEMPER	1	0	1	0	WAYNE	8	5	3	0
LAFAYETTE	7	4	3	0	WEBSTER	1	1	0	0
LAMAR	57	17	40	0	WILKINSON	1	0	1	0
LAUDERDALE	28	14	14	0	WINSTON	12	5	7	0
LAWRENCE	17	3	14	0	YALOBUSHA	3	3	0	0
LEAKE	37	7	30	0	YAZOO	53	11	42	0
LEE	4	3	1	0					
LEFLORE	29	3	26	0					